Chemwatch: 5295-85

NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

121 Fibreglass Epoxy Repair System Part B

INGREDIENTS	CAS NO	%	TWA
p-tert-butylphenol	98-54-4	<10	3 mg/m3
benzyl alcohol	100-51-6	10-30	-
isophorone diamine	2855-13-2	10-30	-
formaldehyde/ phenol/ triethylenetetramine copolymer	32610-77-8	<10	-

GHS

DG







UN No: 2735 Hazchem Code: 2X DG Class: 8 Subsidiary Hazard: Not **Applicable** Packing Group: III

HEALTH HAZARD INFORMATION











Determined by Chemwatch using GHS/HSNO criteriaGazetted by EPA New Zealand

8.1A, 6.1D (oral), 8.2A, 8.3A, 6.5A (respiratory), 6.5B (contact), 6.8A, 9.1C

Signal word:

Danger

H290 May be corrosive to metals.

difficulties if inhaled.

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

Hazard statement(s): H317 May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing H334

H360 May damage fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONS FOR USE











Appropriate engineering controls:	General Exhaust Ventilation adequate.
Glasses:	Consider full face-shield.
Gloves:	1.BUTYL 2.VITON
Respirator:	Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire. Attacks metals to liberate hydrogen.

PROPERTIES







EMERGENCY











FIRST AID

Give water (if conscious). URGENT MEDICAL ATTENTION. Swallowed: Eye: Wash with running water (minimum 15 mins). Medical attention. Flood body with water. Remove contaminated clothing. Wash Skin: with water Fresh air. Rest, keep warm. If breathing shallow, give oxygen.

Inhaled:

Advice To Irrigate eyes with saline. Supportive care. Doctor:

Fire Fighting: Water spray/ fog.

Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this

material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS





Spills and

Disposal:











x — Must not be stored together

May be stored together with specific preventions

→ May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

> Chemwatch: Print Date: 27/03/2025 05/06/2024 Issue Date: