

Revision Date 16-Jun-2017

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name BOSTIK TRIPLE 5 BSR Natural

Pure substance/mixture mixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Contact adhesives.

Uses Advised Against Consumer use, This article contains hazardous substances or mixtures intended to be

released under normal or reasonably foreseeable conditions of use.

1.3. Details of the Supplier of the Safety Data Sheet

Company NameBostik Australia Pty LtdBostik New Zealand Limited51-71 High street,19 Eastern Hutt Road Wingate,Thomastown VictoriaLower Hutt, New ZealandAustralia

Tel: 04-567 5119 Tel: 613 9279-9333

Fax: 04-567 5412 Fax: 613 9279-9333

24-hr Emergency: 1800 033 111

1.4. Emergency Telephone Number

Emergency Telephone 24 Hr: 0800 243 622

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Aspiration toxicity	Category 1 (6.1E ^g)
Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 2 (6.4)
Reproductive toxicity	Category 2 (6.8B)
STOT - Single Exposure	Category 3 (f)
Specific target organ toxicity (repeated exposure)	Category 2 (6.9B)
Acute aquatic toxicity	Category 2 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group HSR002665

2.2. Label Elements

BOSTIK TRIPLE 5 BSR Natural Version 1

Revision Date 16-Jun-2017

Supersedes Date: 16-Jun-2017



Signal Word

DANGER

Hazard statements

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H361 Suspected of damaging fertility or the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects
- H225 Highly flammable liquid and vapor

Precautionary Statements - Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P281 Use personal protective equipment as required
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P235 Keep cool

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

EYES

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Spill

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

Revision Date 16-Jun-2017

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Acetone	67-64-1	20- <40
Toluene	108-88-3	10 - <20
Cyclohexane	110-82-7	5 - <10
Methylcyclohexane	108-87-2	1 - <5
Hexane	110-54-3	1 - <3
Tall oil rosin	8052-10-6	0.1- <1
Zinc oxide	1314-13-2	0.1- <1
4-tert-Butylphenol	98-54-4	0.1- <1

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Skin Contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/

attention.

Eye contact In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a

physician immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

Self-protection of the First Aider Use personal protection recommended in Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected personnel.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

4.4. Reference to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

BOSTIK TRIPLE 5 BSR Natural

Supersedes Date: 16-Jun-2017 Version 1

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Chemical

5.3. Advice for Firefighters

Special Protective Equipment for Wear self contained breathing apparatus for fire fighting if necessary.

Revision Date 16-Jun-2017

Fire-fighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Use personal protection recommended in Section 8, Isolate the hazard area and denv For Emergency Responders

entry to unnecessary and unprotected personnel.

6.2. Environmental Precautions

Environmental Precautions Do not empty into drains, dispose of this material and its container at hazardous or

special waste collection point.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect

> spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

(see Section 13). Protect from moisture.

Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill Methods for Cleaning up

for later disposal.

6.4. Reference to other sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take Advice on Safe Handling

precautionary measures against static charges. Use explosion-proof

electrical/ventilating/lighting/equipment.

7.2. Conditions for Safe Storage, including any Incompatibilities

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work **General Hygiene Considerations**

area and clothing is recommended.

Keep only in the original container/package in a cool well-ventilated place. Protect from **Storage Conditions**

moisture. Protect from direct contact with water or excessive moisture.

Incompatible Materials Strong acids and bases

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Revision Date 16-Jun-2017

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	New Zealand	Australia	European Union
Acetone	TWA: 500 ppm	500 ppm	TWA: 500 ppm
67-64-1	TWA: 1185 mg/m ³	1185 mg/m ³	TWA: 1210 mg/m ³
	STEL: 1000 ppm	1000 ppm STEL	
	STEL: 2375 mg/m ³	2375 mg/m ³ STEL	
Toluene	TWA: 50 ppm	50 ppm	TWA: 50 ppm
108-88-3	TWA: 188 mg/m ³	191 mg/m ³	TWA: 192 mg/m ³
	Skin	150 ppm STEL	STEL: 100ppm
		574 mg/m ³ STEL	STEL: 384mg/m ³
		_	S*
Cyclohexane	TWA: 100 ppm	100 ppm	TWA: 200 ppm
110-82-7	TWA: 350 mg/m ³	350 mg/m ³	TWA: 700 mg/m ³
	STEL: 300 ppm	300 ppm STEL	_
	STEL: 1050 mg/m ³	1050 mg/m ³ STEL	
Methylcyclohexane	TWA: 400 ppm	400 ppm	=
108-87-2	TWA: 1610 mg/m ³	1610 mg/m ³	
Hexane	TWA: 20 ppm	20 ppm	TWA: 20 ppm
110-54-3	TWA: 72 mg/m ³	72 mg/m ³	TWA: 72 mg/m ³
Zinc oxide	TWA: 10 mg/m ³	10 mg/m ³	-
1314-13-2	TWA: 3 mg/m ³	5 mg/m³	
	STEL: 10 mg/m ³	10 mg/m³ STEL	

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Acetone	STEL: 500 ppm	IDLH: 2500 ppm	TWA: 1000 ppm
67-64-1	TWA: 250 ppm	TWA: 250 ppm	TWA: 2400 mg/m ³
		TWA: 590 mg/m ³	
Toluene	TWA: 20 ppm	IDLH: 500 ppm	TWA: 200 ppm
108-88-3		TWA: 100 ppm	Ceiling: 300 ppm
		TWA: 375 mg/m ³	
		STEL: 150 ppm	
		STEL: 560 mg/m ³	
Cyclohexane	TWA: 100 ppm	IDLH: 1300 ppm	TWA: 300 ppm
110-82-7		TWA: 300 ppm	TWA: 1050 mg/m ³
		TWA: 1050 mg/m ³	
Methylcyclohexane	TWA: 400 ppm	IDLH: 1200 ppm	TWA: 500 ppm
108-87-2		TWA: 400 ppm	TWA: 2000 mg/m ³
		TWA: 1600 mg/m ³	
Hexane	TWA: 50 ppm	IDLH: 1100 ppm	TWA: 500 ppm
110-54-3	S*	TWA: 50 ppm	TWA: 1800 mg/m ³
		TWA: 180 mg/m ³	
Zinc oxide	STEL: 10 mg/m³ respirable	IDLH: 500 mg/m ³	TWA: 5 mg/m³ fume
1314-13-2	particulate matter	Ceiling: 15 mg/m ³ dust	TWA: 15 mg/m³ total dust
	TWA: 2 mg/m³ respirable	TWA: 5 mg/m ³ dust and fume	TWA: 5 mg/m³ respirable fraction
	particulate matter	STEL: 10 mg/m ³ fume	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available **(PNEC)**

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

Other Information No information available

8.2. Exposure Controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Respiratory Protection

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

Not applicable for liquids

Revision Date 16-Jun-2017

or for short periods of work, a combination of professional filter is recommended.

General Hygiene
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

AppearanceMedium viscosity LiquidColorLight yellow or brownOdorAromatic SolventOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting Point/Freezing Point
Boiling Point
Flash Point
Evaporation Rate
Flammability (solid, gas)
No information available
approx 50 °C / 122 °F
approx -22 °C / -7.6 °F
No information available
No information available

Flammability Limit in Air

Upper Flammability Limit 9.7 Lower Flammability Limit 1.5

Vapor Pressure
Vapor Density
Relative Density
No information available
No information available
No information available

Water Solubility Partially soluble

Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available **Kinematic Viscosity** No information available **Dynamic Viscosity** No information available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
No information available
No information available
No information available

Solid Content (%) approx 19.5 Density 0.84 g/cm³

Bulk Density No information available

VOC > 300 g/L

Section 10: STABILITY AND REACTIVITY

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

Revision Date 16-Jun-2017

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical Stability

Stability Stable under recommended storage conditions

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Keep away from heat, sparks and flames. Protect from moisture.

10.5. Incompatible Materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous Decomposition Products

Hazardous Decomposition

Carbon oxides.

Products

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

Numerical measures of toxicity

Unknown acute toxicity

10.0632799 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

15.3629999 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

51.3288699 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

56.8186799 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

31.8324299 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 79 mg/l(Rat) 4 h
Toluene 108-88-3	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	> 20 mg/L (Rat)4 h
Cyclohexane 110-82-7	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 13.9 mg/L (Rat) 4 h
Methylcyclohexane 108-87-2	> 3200 mg/kg (Rat)	>2920 mg/Kg bw (rat) 24 hour	>23 mg/l (vapour) (Rat- OECD 403)
Hexane 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
Tall oil rosin 8052-10-6	= 7600 mg/kg (Rat)	-	-
Zinc oxide	> 5000 mg/kg (Rat)	LD50 >2000 mg/Kg (Rat) (OECD	LC50 (4h) >5.7 mg/l

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

Revision Date 16-Jun-2017

1314-13-2	_	102)	
1314-13-2		402)	
4-tert-Butylphenol	= 4000 mg/kg (Rat)	LD50 >5000 mg/kg (rabbit)	-
98-54-4		OECD 402	

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Sensitization
Germ Cell Mutagenicity
No information available.
No information available.
No information available.

Reproductive Toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

STOT - Single ExposureSTOT - Repeated Exposure
No information available.
No information available.

Target Organ Effects Central nervous system, Eyes, Kidney, Liver, Peripheral Nervous System (PNS),

Respiratory system, Skin.

Aspiration Hazard No information available. **Carcinogenicity** No information available.

Toluene Group 3	Chemical Name	IARC	China	Japan
	Toluene	Group 3	-	-

IARC (International Agency for Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in

Research on Cancer) Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Toxic to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Acetone	-	LC50 96 h 4.74 - 6.33 mL/L	EC50 48 h 10294 - 17704 mg/L
67-64-1		(Oncorhynchus mykiss)	(Daphnia magna Static)
Toluene	EC50 72 h = 12.5 mg/L	LC50 96 h 5.89 - 7.81 mg/L	EC50 48 h 5.46 - 9.83 mg/L
108-88-3	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss	(Daphnia magna Static) EC50 48 h
		flow-through) LC50 96 h = 5.8	= 11.5 mg/L (Daphnia magna)
		mg/L (Oncorhynchus mykiss	
		semi-static)	
Cyclohexane	EC50 72 h > 9.3 mg/L	LC50 96 h 23.03 - 42.07 mg/L	EC50 24 h > 400 mg/L (Daphnia
110-82-7	(Pseudokirchnerella subcapitata)	(Pimephales promelas static) LC50	magna)
		96 h 48.87 - 68.76 mg/L (Poecilia	
		reticulata static) LC50 96 h 3.96 -	
		5.18 mg/L (Pimephales promelas	
		flow-through) LC50 96 h 24.99 -	
		44.69 mg/L (Lepomis macrochirus	
Mathydayalahayana	10 mg/l (Doordokirobnoriello	static)	2 mg/l /Donhais magns OFCD
Methylcyclohexane 108-87-2	10 mg/l (Pseudokirchneriella	2.07 mg/l (Oryzias latipes)	3 mg/l (Daphnia magna - OECD 202)
	subcapitata - OECD 201)	1 C50 0C b 0.4 0.00 mm/l	- /
Hexane 110-54-3	-	LC50 96 h 2.1 - 2.98 mg/L	EC50 24 h > 1000 mg/L (Daphnia
110-54-5		(Pimephales promelas flow-through)	magna)
Tall oil rosin	EC50 72 h 185 - 217 mg/L	LC50 96 h 100 - 200 mg/L	EC50 48 h 238 - 479 mg/L
8052-10-6	(Pseudokirchneriella subcapitata)	(Brachydanio rerio static)	(Daphnia magna)
Zinc oxide	LC 50 (72Hr) 0.136 mg/L	LC50 (96h) =0.7 mg/L Fish (Danio	LC 50 (48Hr) =0.5 mg/l
1314-13-2	20 30 (72111) 0.130 Hig/L	rerio)	(Ceriodaphnia dubia)
4-tert-Butylphenol	EC50 72 h = 11.2 mg/L	LC50 96 h 4.71 - 5.62 mg/L	EC50 48 h 3.4 - 4.5 mg/L
98-54-4	(Desmodesmus subspicatus)	(Pimephales promelas	(Daphnia magna Static) EC50 48 h
30 34 4	(Bediffedesiffed subspicates)	flow-through) LC50 96 h = 6.9	= 3.9 mg/L (Daphnia magna)
		mg/L (Cyprinus carpio static)	o.o mg/E (Bapilina magna)
		mg/= (O)pinido dalpio statio/	

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Endocrine Disruptor

Information

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
4-tert-Butylphenol	Group II Chemical	-	-

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

Revision Date 16-Jun-2017

regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORTATION INFORMATION

IMDG

UN/ID No UN1133
Proper Shipping Name Adhesives

Hazard Class 3
Packing Group ||

EmS-No F-E, S-D Limited Quantity (LQ) 5 L

Description UN1133, Adhesives, 3, II, (-22°C c.c.)

<u>IATA</u>

UN/ID No UN1133
Proper Shipping Name Adhesives

Hazard Class 3
Packing Group II
ERG Code 3L
Limited Quantity (LQ) 1 L
Special Provisions A3

Description UN1133, Adhesives, 3, II

ADR

UN/ID No UN1133

Proper Shipping Name Adhesives, Environmentally Hazardous

Hazard Class 3
Hazard Labels 3
Packing Group ||

Description UN1133, Adhesives, Environmentally Hazardous, 3, II, (D/E)

Environmental Hazard yes

BOSTIK TRIPLE 5 BSR Natural

Version 1 Supersedes Date: 16-Jun-2017

Revision Date 16-Jun-2017

Limited Oversity (LO)

Limited Quantity (LQ) 5 L
Special Provisions 640C
Classification Code F1
Tunnel Restriction Code (D/E)

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 16-Jun-2017

Revision Note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet