

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.03.2016

Revision: 22.03.2016

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente A
- · Article number: EP1952
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Epoxy coating Sealing Epoxy resin
- 1.3 Details of the supplier of the safety data sheet
   Manufacturer/Supplier: KLB Kötztal Lacke + Beschichtungen GmbH Günztalstraße 25 D-89335 Ichenhausen +49-(0)-8223-9692-0
- Further information obtainable from: Abteilung Produktsicherheit msds@klb-koetztal.de
   44 Emergeney talenberge numbers + 40 (0) 172 420507
- 1.4 Emergency telephone number: +49-(0)-172-439597-0 oder-1

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. • Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling: reaction product: bisphenol-A-(epichlorhydrin)epoxy resin (number average molecular weight > 700 - < 1100)</li>
   Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- · Precautionary statements

P280Wear protective gloves/protective clothing/eye protection/face protection.P302+P352IF ON SKIN: Wash with plenty of water.P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact<br/>lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Printing date 22.03.2016

Revision: 22.03.2016

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente A

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

Danger dae dempendinen		
CAS: 25068-38-6	reaction product: bisphenol-A-(epichlorhydrin)epoxy 25-5	50%
NLP: 500-033-5	resin (number average molecular weight > 700 - <	
Reg.nr.: 01-2119456619-26-XXXX	1100)	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
· · · · · · · · · · · · · · · · · · ·		

· Additional information: For the wording of the listed risk phrases refer to section 16.

# **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

# **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Not required. • 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Printing date 22.03.2016

Revision: 22.03.2016

(Contd. of page 2)

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente A

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- · Protection of hands:

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.



Protective gloves

- *Material of gloves* Butyl rubber, BR Nitrile rubber, NBR
- Penetration time of glove material
   The exact break trough time has to be found out by the manufacturer of the protective gloves and
   has to be observed.

   Eye protection:



Tightly sealed goggles

(Contd. on page 4)

GB

Printing date 22.03.2016

Revision: 22.03.2016

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente A

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and chemical properties     General Information     Appearance:     Form: Fluid				
Colour:	Fluid White			
· Odour:	Uncharacteristic.			
<ul> <li>Change in condition Melting point/Melting range Boiling point/Boiling range</li> </ul>				
· Flash point:	> 100 °C			
· Ignition temperature:	455 °C			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Vapour pressure at 20 ℃:	0.1 hPa			
· Density:	Not determined.			
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Emulsifiable.			
<ul> <li>Viscosity:</li> <li>Dynamic at 20 °C:</li> <li>9.2 Other information</li> </ul>	800 mPas No further relevant information available.			

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Exothermic polymerisation. Reacts with alcohols, amines, aqueous acids and alkalis.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Irritant gases/vapours

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

(Contd. of page 3)

GB -

Printing date 22.03.2016

Revision: 22.03.2016

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente A

(Contd. of page 4)

GB

- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
   STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Ani of Marpol and the IBC Code</li> </ul>	n <b>ex II</b> Not applicable.	
		(Contd. on page 6)

Printing date 22.03.2016

Revision: 22.03.2016

(Contd. of page 5)

Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente A

· UN "Model Regulation":

Void

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

· Department issuing MSDS: department product safety

· Contact: Hr. Dr. Müller

Abbreviations and acronyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
 \* Data compared to the previous version altered.



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.03.2016

Revision: 22.03.2016

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### · 1.1 Product identifier

- · Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente B
- **1.2 Relevant** identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Sealing Hardening agent/ Curing agent Epoxy coating
- 1.3 Details of the supplier of the safety data sheet
   Manufacturer/Supplier: KLB Kötztal Lacke + Beschichtungen GmbH Günztalstraße 25 D-89335 Ichenhausen +49-(0)-8223-9692-0
- Further information obtainable from: Abteilung Produktsicherheit msds@klb-koetztal.de
- · 1.4 Emergency telephone number: +49-(0)-172-439597-0 oder-1

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 The product is not classified according to the CLP regulation.

### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains m-phenylenebis(methylamine), 3-aminomethyl-3,5,5-trimethylcyclohexylamine. May produce an allergic reaction. Safety data sheet available on request.

· 2.3 Other hazards

### · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: Void

· Additional information: For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 2)

GB

Printing date 22.03.2016

Revision: 22.03.2016

(Contd. of page 1)

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente B

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- $\cdot$  6.4 Reference to other sections No dangerous substances are released.

# SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.

(Contd. on page 3)

GB

Printing date 22.03.2016

Revision: 22.03.2016

(Contd. of page 2)

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente B

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• *Material of gloves* Nitrile rubber, NBR Butyl rubber, BR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

· Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physes</li> <li>General Information</li> <li>Appearance:</li> <li>Form:</li> <li>Colour:</li> </ul>	<b>sical and chemical properties</b> Fluid Opaque		
· Odour:	Uncharacteristic.		
· Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 ℃			
· Flash point:	> 100 °C		
· Self-igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Vapour pressure at 20 °C:	23 hPa		
· Density at 20 °C:	1.06 g/cm³ (DIN EN ISO 2811-2)		
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.		
<ul> <li>Viscosity:</li> <li>Dynamic at 23 °C:</li> <li>Kinematic:</li> <li>9.2 Other information</li> </ul>	250-300 mPas (DIN EN ISO 3219) Not determined. No further relevant information available.		

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Exothermic polymerisation. Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Irritant gases/vapours

(Contd. on page 4)

Printing date 22.03.2016

Revision: 22.03.2016

Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente B

(Contd. of page 3)

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Smaller quantities can be disposed of with household waste.

### · European waste catalogue

08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

# SECTION 14: Transport information · 14.1 UN-Number · ADR, ADN, IMDG, IATA · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void (Contd. on page 5) GB

Printing date 22.03.2016

### Trade name: KLB-SYSTEM EPOXID EP 705 E / EP 705 R10 Komponente B

		(Contd. of page 4
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to An of Marpol and the IBC Code</li> </ul>	nex II Not applicable.	
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: department product safety
- · Contact: Hr. Dr. Müller
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord european Sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• \* Data compared to the previous version altered.