

**Section 1: Identification of the substance and supplier****Product identifier**

Mixture identification:

Trade name: PLANITOP RASA E RIPARA R4 ZERO

Trade code: 9026538

**Recommended use of the chemical and restrictions on use**

Recommended use: Cement based levelling mortar

Uses advised against: Data not available.

**Supplier's details**

Company: MBP (NZ) Ltd. - 88 Carbine Road - Mount Wellington - 1060 - Auckland - New Zealand

Phone: +64 9 921 1994 (Mon-Fri 9am-5pm) - Fax: +64 9 921 1993

Responsible: enquiries@MBPLtd.co.nz - www.MBPLtd.co.nz

**Emergency phone number**

New Zealand National Poisons Centre: Phone 0800 764 766 (for acute poisoning situations)

Chemcall: Phone 0800 243 622 (for chemical based incidents-emergencies)

**Section 2: Hazards identification****HSNO 2020 (7th GHS UN rev.) hazard classification**

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020

**Hazard classification**

Skin irritation, Category 2 H315 - Causes skin irritation.

Serious eye damage, Category 1 H318 - Causes serious eye damage.

Skin Sensitisation, Category 1 H317 - May cause an allergic skin reaction.

Specific target organ toxicity — single exposure, Category 3 H335 - May cause respiratory irritation.

**Hazard information****Hazard pictograms and Signal Word**

Danger

**Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Precautionary statements**

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves and eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
8

P310 Immediately call a POISON CENTER.

P321 Specific treatment (see supplementary instructions on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

## Contains

portland cement, Cr(VI) < 2 ppm

## Other hazards which do not result in a classification

No other hazards

Prolonged exposition and/or intensive inhalation of respirable free crystalline silica (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns.

---

## Section 3: Composition/information on ingredients

### Substances

N.A.

### Mixtures

Mixture identification: PLANITOP RASA E RIPARA R4 ZERO

### Hazardous components within the meaning of HSNO Act and related classification

Qty	Name	Ident. Numb.	Classification
≥50 - <75 %	free crystalline silica ( $\varnothing >10 \mu$ )	CAS:14808-60-7 EC:238-878-4	Not classified as hazardous
≥20 - <25 %	portland cement, Cr(VI) < 2 ppm	CAS:65997-15-1 EC:266-043-4	3.2/2, H315; 3.4.2/1, H317; 3.3/1, H318; 3.8/3, H335

---

## Section 4: First aid measures

### Description of necessary first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAINT IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

### Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

---

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: ==

Oxidizing properties: N.A.

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.
- Provide adequate ventilation.
- Use appropriate respiratory protection.

### Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

### Methods and materials for containment and cleaning up

- Take up mechanically and dispose of according to local/state/federal regulations
- Scoop into containers and seal for disposal.
- Retain contaminated washing water and dispose it.

## Section 7: Handling and storage

### Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Do not use on extensive surface areas in premises where there are occupants.
- Use localized ventilation system.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contaminated clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

- Always keep in a well ventilated place.
- Keep away from food, drink and feed.

#### Incompatible materials:

None in particular.

#### Instructions as regards storage premises:

Cool and adequately ventilated.

## Section 8: Exposure controls/personal protection

### Workplace Exposure Standards

#### Community Occupational Exposure Limits (OEL)

	OEL Type	Country	Occupational Exposure Limit
free crystalline silica ( $\text{Ø} > 10 \mu$ ) CAS: 14808-60-7	NZL	NEW ZEALAND	Long Term: 0.1 mg/m <sup>3</sup>
portland cement, Cr(VI) < 2 ppm CAS: 65997-15-1	NZL	NEW ZEALAND	Long Term: 10 mg/m <sup>3</sup>
	NZL	NEW ZEALAND	Long Term: 3 mg/m <sup>3</sup>
	NZL	NEW ZEALAND	Long Term: 1 mg/m <sup>3</sup>

### Engineering Controls

N.A.

### Personal Protective Equipment (PPE)

#### Eye protection:

Use close fitting safety goggles, don't use contact lenses.

#### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

#### Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Nitrile gloves are suggested (1,3 mm; 480 min). Not recommended gloves: not waterproof gloves

#### Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

A dust mask (P2) should be worn if above exposure limits (EN 149)

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

#### Thermal Hazards:

N.A.

---

## Section 9: Physical and chemical properties

Physical state Solid

Appearance and colour: powder Grey

Odour: cement like

Odour threshold: N.A.

pH: N.A.

pH (water dispersion, 10%): 12,00

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: N.A.

Flammability (Solid, Gas): N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour pressure: N.A.

Vapour density: N.A.

Relative density: N.A.

Solubility in water: partly soluble

Solubility in oil: insoluble

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Kinematic viscosity: N.A.

---

## Section 10: Stability and reactivity

### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## Section 11: Toxicological information

### Information on toxicological effects

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

### Toxicological Information of the Preparation

a) acute toxicity	Not Classified. Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not Classified. Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not Classified. Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation	Not Classified.
e) germ cell mutagenicity	Based on available data, the classification criteria are not met Not Classified.
f) carcinogenicity	Based on available data, the classification criteria are not met Not Classified.
g) reproductive toxicity	Based on available data, the classification criteria are not met Not Classified.
h) STOT-single exposure	Based on available data, the classification criteria are not met The product is classified: 3.8/3(H335)
i) STOT-repeated exposure	Not Classified.
j) aspiration hazard	Based on available data, the classification criteria are not met Not Classified.
	Based on available data, the classification criteria are not met

#### **Toxicological information on main components of the mixture:**

free crystalline silica (Ø a) acute toxicity LD50 Oral > 2000 mg/kg  
>10 µ)

LD50 Skin > 2000 mg/kg

### **Section 12: Ecological information**

#### **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### **List of Eco-Toxicological properties of the product**

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

#### **Persistence and degradability**

N.A.

#### **Bioaccumulative potential**

N.A.

#### **Mobility in soil**

N.A.

#### **Other adverse effects**

N.A.

### **Section 13: Disposal considerations**

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### **Special precautions to be taken during disposal**

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### **Section 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

**UN number**

N.A.

**UN proper shipping name**

N.A.

**Transport hazard class(es)**

N.A.

**Packing group, if applicable**

N.A.

**Environmental hazards**

N.A.

No

**Special precautions for user**

Road and Rail (ADR-RID):

N.A.

ADR-Hazard identification number: NA

Air (IATA):

N.A.

Sea (IMDG):

N.A.

---

## Section 15: Regulatory information

**HSNO Approval**

HSNO approval number and group standard title:

HSR002544 - Construction Products (Subsidiary Hazard) Group Standard 2020

**New Zealand Inventory of Chemicals (NZIoC)**

All components are listed on the NZIoC Inventory.

**Health and Safety at Work Act**

**Certified Handler**

No data available

**Regulatory references**

Hazardous Substances (Safety Data Sheets) Notice 2017.

Hazardous Substances (Labelling) Notice 2017.

Hazardous Substances (Classification) Notice 2020.

---

## Section 16: Other information

Safety Data Sheet dated: 5/13/2025 - version 2

**\* Sheet model entirely changed in compliance to regulatory update.**

**Code** **Description**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Description of the HSNO Classification codes used in section 2 or 3:**

**Code** **Description**

3.2/2 Skin irritation, Category 2

3.3/1 Serious eye damage, Category 1

3.4.2/1 Skin Sensitisation, Category 1

3.8/3 Specific target organ toxicity — single exposure, Category 3

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
IMDG: International Maritime Code for Dangerous Goods.  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
CLP: Classification, Labeling, Packaging.  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
INCI: International Nomenclature of Cosmetic Ingredients.  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
DNEL: Derived No Effect Level.  
PNEC: Predicted No Effect Concentration.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
WGK: German Water Hazard Class.  
KSt: Explosion coefficient.  
HSNO: Hazardous Substances and New Organisms Act 1996.