

This safety data sheet was created pursuant to the requirements of: Hazardous Substances (Safety Data Sheets) Notice 2017 EPA Consolidation 30 September 2022

**BOSTIK TRIPLE 5 BSR Natural** 

Revision Number 2

Revision date 04-May-2025 Supersedes date 11-Dec-2024

#### Section 1: Identification

Product identifier

**Product Name** 

BOSTIK TRIPLE 5 BSR Natural

Poison Centre : 0800 764 766

Other means of identification

Recommended use of the chemical and restrictions on use

**Recommended use** 

Contact adhesives

Consumer use

Uses advised against

Details of the supplier of the safety data sheet

Supplier Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412	<u>Manufacturer</u> Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412
E-mail address	SDS.AP@Bostik.com
Emergency telephone number	
Emergency Telephone	24 Hr: 0800 243 622 International +64 4 917 9888

#### Section 2: Hazard identification

#### **GHS Classification**

Flammable liquids	Category 2
Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Hazardous to the aquatic environment - acute	Category 1
Hazardous to the aquatic environment - chronic	Category 1

Label elements



BOSTIK TRIPLE 5 BSR Natural Revision Number 2

Signal word

Danger

#### Hazard statements

H225 - Highly flammable liquid and vapor

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H361 Suspected of damaging fertility or the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Avoid release to the environment Ground and bond container and receiving equipment Use non-sparking tools Take action to prevent static discharges Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Keep cool Wear protective gloves Use explosion-proof electrical/ventilating/lighting/equipment Avoid breathing dust, fume, gas, mist, vapors and spray **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Skin If skin irritation or rash occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower Wash contaminated clothing before reuse Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting Fire In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish Spill Collect spillage **Precautionary Statements - Storage** Store locked up Store in a well-ventilated place. Keep container tightly closed **Precautionary Statements - Disposal** Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable Other hazards which do not result in classification May be harmful if inhaled. In use, may form flammable/explosive vapor-air mixture.

#### Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Acetone	67-64-1	20- <40
Heptane	142-82-5	20- <40
Toluene	108-88-3	10 - <20
Cyclohexane	110-82-7	5 - <10
Methylcyclopentane	96-37-7	1 - <3
Octane	111-65-9	1 - <3
Tall oil rosin	8052-10-6	0.1- <1
Zinc oxide	1314-13-2	0.1- <1
4-tert-Butylphenol	98-54-4	0.1- <1
Non-hazardous ingredients	Proprietary	Balance

### Section 4: First-aid measures

#### Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.
Most important symptoms and eff	ects, both acute and delayed
Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. May cause damage to organs through prolonged or repeated exposure.
Indication of any immediate medic	cal attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically. Because of the

danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

Section 5: Fire-fighting measures		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Product is or contains a sensitizer. May cause sensitization by skin contact.	
Hazardous combustion products	Carbon oxides. Hydrocarbons. Hydrogen chloride. Aldehydes.	
Special protective actions for fire-fighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.	

#### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Section 7: Handling and storage

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Precautions for safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from Advice on safe handling heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Do not eat, drink or smoke when using this product. Contaminated work clothing should General hygiene considerations not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eve/face protection. Avoid contact with skin, eves or clothina. Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from **Storage Conditions** heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials. Protect from moisture. **Recommended storage** Keep at temperatures between 41 and 77 °F / 5 and 25 °C. temperature

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

#### Section 8: Exposure controls/personal protection

#### Working area parameters, subject to mandatory control (MAC or TSEL)

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Acetone	TWA: 500 ppm;	TWA: 250 ppm	TWA: 500 ppm;	TWA: 500 ppm;
67-64-1	TWA: 1185 mg/m <sup>3</sup> ;	STEL: 500 ppm	TWA: 1210 mg/m <sup>3</sup> ;	TWA: 1185 mg/m <sup>3</sup> ;
	STEL: 1000 ppm;		STEL: 1500 ppm;	STEL: 1000 ppm;
	STEL: 2375 mg/m <sup>3</sup> ;		STEL: 3620 mg/m <sup>3</sup> ;	STEL: 2375 mg/m <sup>3</sup> ;
Heptane	TWA: 400 ppm;	TWA: 400 ppm	TWA: 500 ppm;	TWA: 400 ppm;
142-82-5	TWA: 1640 mg/m <sup>3</sup> ;	STEL: 500 ppm	TWA: 2085 mg/m <sup>3</sup> ;	TWA: 1640 mg/m <sup>3</sup> ;
	STEL: 500 ppm;		STEL: 1500 ppm;	STEL: 500 ppm;
	STEL: 2050 mg/m <sup>3</sup> ;		STEL: 6255 mg/m <sup>3</sup> ;	STEL: 2050 mg/m <sup>3</sup> ;
Toluene	TWA: 20 ppm;	TWA: 20 ppm	TWA: 50 ppm;	TWA: 50 ppm;
108-88-3	TWA: 75 mg/m <sup>3</sup> ;	pOt	TWA: 191 mg/m <sup>3</sup> ;	TWA: 191 mg/m <sup>3</sup> ;

**Exposure Limits** 

### BOSTIK TRIPLE 5 BSR Natural Revision Number 2

#### Revision date 04-May-2025 Supersedes date 11-Dec-2024

	STEL: 100 ppm;		STEL: 100 ppm;	STEL: 150 ppm;
	STEL: 377 mg/m <sup>3</sup> ;		STEL: 384 mg/m <sup>3</sup> ;	STEL: 574 mg/m <sup>3</sup> ;
	dSk		pSk	_
Cyclohexane	TWA: 100 ppm;	TWA: 100 ppm	TWA: 100 ppm;	TWA: 100 ppm;
110-82-7	TWA: 350 mg/m <sup>3</sup> ;		TWA: 350 mg/m <sup>3</sup> ;	TWA: 350 mg/m <sup>3</sup> ;
	STEL: 300 ppm;		STEL: 300 ppm;	STEL: 300 ppm;
	STEL: 1050 mg/m <sup>3</sup> ;		STEL: 1050 mg/m <sup>3</sup> ;	STEL: 1050 mg/m <sup>3</sup> ;
Octane	TWA: 300 ppm;	TWA: 300 ppm	-	TWA: 300 ppm;
111-65-9	TWA: 1400 mg/m <sup>3</sup> ;			TWA: 1400 mg/m <sup>3</sup> ;
	STEL: 375 ppm;			STEL: 375 ppm;
	STEL: 1750 mg/m <sup>3</sup> ;			STEL: 1750 mg/m <sup>3</sup> ;
Zinc oxide	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 2 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup> ;
1314-13-2	respirable dust	respirable particulate		inhalable dust
	TWA: 2 mg/m <sup>3</sup> ;	matter		TWA: 5 mg/m <sup>3</sup> ; fume
	respirable dust	STEL: 10 mg/m <sup>3</sup>		STEL: 10 mg/m <sup>3</sup> ; fume
	STEL: 0.5 mg/m <sup>3</sup> ;	respirable particulate		_
	respirable dust	matter		
	STEL: 5 mg/m <sup>3</sup> ;			
	respirable dust			

### Biological occupational exposure limits

Chemical name	New Zealand	ACGIH
Acetone 67-64-1	50 mg/L - urine (Acetone) - end of shift	25 mg/L - urine (Acetone) - end of shift
Toluene 108-88-3	0.03 mg/L - urine (Toluene) - end of exposure or end of shift 0.3 mg/g creatinine - urine (O-Cresol) - end of exposure or end of shift	0.02 mg/L - blood (Toluene) - prior to last shift of workweek 0.03 mg/L - urine (Toluene) - end of shift 0.3 mg/g creatinine - urine (o-Cresol with hydrolysis) - end of shift
Cyclohexane 110-82-7	-	50 mg/g creatinine - urine (1,2-Cyclohexanediol) - end of shift at end of workweek

#### Appropriate engineering controls

Engineering controls Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

Hand protectionWear suitable gloves. Impervious gloves.

- Skin and body protectionWear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.<br/>Antistatic boots.
- **Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

#### Section 9: Physical and chemical properties

# Information on basic physical and chemical propertiesPhysical stateLiquidAppearanceSolution Paste Liquid

BOSTIK TRIPLE 5 BSR Natural Revision Number 2

Revision date04-May-2025Supersedes date11-Dec-2024

Color Odor Odor threshold	Light yellow or brown Aromatic. Solvent. No information available	
Property_	<u>Values</u>	Remarks • Method
рН	No data available	Not applicable Insoluble in water
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	50 °C	
range		
Flash point	-22 °C	
Evaporation rate	No data available	None known
Flammability	No data available	Flammable liquid
Flammability Limit in Air		None known
Upper flammability or explosive	9.7	
limits	1 5	
Lower flammability or explosive limits	1.5	
Vapor pressure	<110 kPa	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Other information Softening point Molecular weight VOC content Liquid Density Bulk density Particle characteristics	No information available No information available No information available 0.84 g/cm <sup>3</sup> No information available	

### Section 10: Stability and reactivity

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Possibility of hazardous reactions	<u> </u>
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Protect from moisture.

### **BOSTIK TRIPLE 5 BSR Natural**

Revision Number 2

In compatible motoriale		
Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.	
Hazardous decomposition produce	<u>cts</u>	
Hazardous decomposition products	Carbon oxides.	
Section 11: Toxicological ir	nformation	
Acute toxicity		
Information on likely routes of ex	posure	
Product Information		
Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.	
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Repeated exposure may cause skin dryness or cracking. Causes skin irritation.	
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.	
Acute toxicity		
Numerical measures of toxicity		

The following ATE values have been calculated for the mixtureATEmix (oral)>5000 mg/kgATEmix (dermal)>5000 mg/kgATEmix (inhalation-gas)>20000 ppmATEmix (inhalation-vapor)>20 mg/lATEmix (inhalation-dust/mist)145.867 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Acetone	=5800 mg/kg (Rattus)	>15800 mg/Kg (Rattus)	=79 mg/l(Rattus) 4 h	
	3000 mg/Kg (mouse)		-	
Heptane	LD50 > 5000 mg/Kg (rattus)	= 3000 mg/kg (Oryctolagus	=103 g/m <sup>3</sup> (Rattus) 4 h	
		cuniculus)		
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus	>20 mg/L (Rattus) 4 h	

### BOSTIK TRIPLE 5 BSR Natural Revision Number 2

		cuniculus)	
Cyclohexane	=12705 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus cuniculus)	>9500 ppm (Rattus) 4 h
Octane	>5000 mg/Kg (Rattus)	-	=118 g/m <sup>3</sup> (Rattus) 4 h = 25260 ppm (Rattus) 4 h > 23.36 mg/L (Rattus) 4 h
Tall oil rosin	=7600 mg/kg (Rattus)	-	-
Zinc oxide	>5000 mg/kg (Rattus)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	LC50 (4h) >5.7 mg/l
4-tert-Butylphenol	=4000 mg/kg (Rattus)	LD50 >5000 mg/kg (Oryctolagus cuniculus) OECD 402	_

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

Toluene (108-88-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rabbit	Dermal			Irritant
440/2008, Annex, B.4					

#### Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Component Information** 

Acetone (67-64-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization May cause an allergic skin reaction.

Acetone (67-64-1)

Method	Species	Exposure route	Results
GPMT - Guinea pig maximisation	Guinea pig	Dermal	Not a skin sensitizer
test	-		

Toluene (108-88-3) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Heptane (142-82-5)

Method	Species	Results
OECD Test No. 473: In vitro Mammalian	Rat, in vitro	Not mutagenic
Chromosome Aberration Test		
OECD Test No. 471: Bacterial Reverse		Not mutagenic in AMES Test
Mutation Test		-

#### Toluene (108-88-3)

Method	Species	Results
Regulation (EC) No. 440/2008, Annex, B.13/14	Salmonella typhimurium	Not mutagenic
(Ames test)		
OECD Test No. 476: In Vitro Mammalian Cell	Mouse	Not mutagenic
Gene Mutation Tests using the Hprt and xprt		-
genes		

<b>BOSTIK TRIPLE 5</b>	BSR	Natural
<b>Revision Number</b>	2	

#### Carcinogenicity

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
Toluene - 108-88-3	-	Group 3

#### Legend

#### IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	
-----------------------	--

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

Toluene (108-88-3)

Method	Species	Results
OECD 407	in vivo	Reproductive toxicant

#### STOT - single exposure

May cause drowsiness or dizziness.

Acetone (67-64-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Experiences made in					Narcotic effects
practice					

Narcotic effects

Narcotic effects.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Acetone (67-64-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 408:	Rat	Oral	200-3400 mg/kg	91 days	No Observed
Repeated Dose 90-Day			bw/day		Adverse Effect
Oral Toxicity Study in					Level LOAEL 1700
Rodents					mg/kg bw/day
Not specified	Rat	Inhalation	19000 ppm	14, 28, 56 days	NOAEC 19000 ppm
					No Observed
					Adverse Effect
					Level

Toluene (108-88-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rat, male, female	Oral		91 days	NOAEL: 625 mg/kg
440/2008, Annex, B.26					
OECD Test No. 453:	Rat, male, female	Inhalation, vapor			NOAEL: 1.131 mg/l
Combined Chronic					
Toxicity/Carcinogenicity					
Studies					

Aspiration hazard

May be fatal if swallowed and enters airways.

#### Section 12: Ecological information

**Ecotoxicity** 

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

#### Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetone	-	LC50 96 h 4.74 - 6.33 mL/L	EC50 48 h 10294 - 17704 mg/L
		(Oncorhynchus mykiss)	(Daphnia magna Static)
Heptane	-	LC50: =375.0mg/L (96h, Cichlid )	EC50: >10mg/L (24h, Daphnia
			magna)
Toluene	EC50 72 h = 12.5 mg/L	LC50 96 h 5.89 - 7.81 mg/L	EC50: =11.5mg/L (48h, Daphnia
	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss	magna) EC50: 5.46 - 9.83mg/L
		flow-through) LC50 96 h = 5.8 mg/L	(48h, Daphnia magna)
		(Oncorhynchus mykiss semi-static)	
Cyclohexane	EC50 72 h > 9.3 mg/L	LC50: 23.03 - 42.07mg/L (96h,	EC50: >0.9 mg/L (24h, Daphnia
	(Pseudokirchnerella subcapitata)	Pimephales promelas) LC50: 48.87	magna)
		- 68.76mg/L (96h, Poecilia	
		reticulata) LC50: 3.96 - 5.18mg/L	
		(96h, Pimephales promelas) LC50:	
		24.99 - 44.69mg/L (96h, Lepomis	
O stars s		macrochirus)	ECEO: 0.28mg/l (48h Danhaia
Octane	-	-	EC50: =0.38mg/L (48h, Daphnia
	ECE0: 185 217mg/l (72h	LC50: 100_200mg/L (06b	magna) EC50: 238 - 479mg/L (48h,
Tall oil rosin	EC50: 185 - 217mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 100 - 200mg/L (96h, Brachydanio rerio)	Daphnia magna)
Zine evide	LC 50 (72Hr) 0.136 mg/L	LC50 (96h) =0.7 mg/L (Danio	LC 50 (48Hr) =0.5 mg/l
Zinc oxide	LC 50 (72HI) 0.136 HIg/L	rerio)	(Ceriodaphnia dubia)
4 tort Dutulahanal	EC50: =11.2mg/L (72h,	/	EC50: 3.4 - 4.5mg/L (48h, Daphnia
4-tert-Butylphenol	Desmodesmus subspicatus)	LC50: =6.9mg/L (96h, Cyprinus carpio) LC50: 4.71 - 5.62mg/L (96h,	magna) EC50: =3.9mg/L (48h, Daphnia
	Desinouesinus subspicalus)	Pimephales promelas)	Daphnia magna) EC50. =3.9119/L (461,
		r intepriates profiletas)	Daprina Mayria)

#### **Terrestrial ecotoxicity**

Chemical name	Earthworm	Avian	Honeybees
Acetone	Acute Toxicity: LC50 200 -	Dietary Toxicity: LC50 >	-
	1000 µg/cm2 (Eisenia foetida,	40000 ppm (Phasianus	
	48 h filter paper)	colchicus, 5 Days)	
		Dietary Toxicity: LC50 >	
		40000 ppm (Coturnix coturnix	
		japonica, 5 Days)	

Persistence and degradability

No information available.

#### Bioaccumulative potential Bioaccumulation Component Information

Chemical name	Partition coefficient
Acetone	-0.24
Heptane	4.66
Toluene	2.73
Cyclohexane	3.44
Octane	5.18
Tall oil rosin	3.6
4-tert-Butylphenol	3

#### Mobility in soil

Mobility

No information available.

#### Other adverse effects

BOSTIK TRIPLE 5 BSR Natural Revision Number 2

#### Disposal methods

Waste from residues/unused products	Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Flammable substances - may not be disposed of into or onto a landfill or sewage facility. They may only be burnt in certain situations. Flammable gases, liquids and solids may only be discharged into the environment or landfill as waste if the substance will not at any time come into contact with any explosives, oxidising gases, liquids or solids or organic peroxides; and there will be no ignition source in the vicinity of the disposal site at any time and if the substance were to ignite, no person, or place where a person may legally be, would be exposed to an unsafe level of heat radiation. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if to charans a component that is hazardous to the aquatic environment or bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable, then any component the substance (or a component of the substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environment if
Contaminated packaging	For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if: - the substance has a physical hazard other than corrosive to metal, and has been treated to remove any residual contents of the hazardous substance; - or for substances that have a health or environmental hazard, or corrosive to metal, the contents of the residue in the package are below the threshold for the substance to be classified as hazardous in the Hazardous Substances (Hazard Classification) Notice 2020.

### Section 14: Transport information

IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Description	UN1133 Adhesives 3 II A3 UN1133, Adhesives, 3, II
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No.	UN1133 Adhesives 3 II F-E, S-D

<b>BOSTIK TRIPLE 5</b>	BSR	Natural
<b>Revision Number</b>	2	

Marine pollutant Description	P UN1133, Adhesives, 3, II, (-22°C c.c.), Marine pollutant
Transport in bulk according to An No information available	nnex II of MARPOL 73/78 and the IBC Code
<u>ADR</u> UN number or ID number UN proper shipping name	UN1133 Adhesives

UN proper shipping name	Adhesives
Transport hazard class(es)	3
Labels	3
Packing group	ll
Description	UN1133, Adhesives, 3, II, (D/E), Environmentally Hazardous
Environmental hazards	Yes
Limited quantity (LQ)	5 L
Special Provisions	640D
Classification code	F1
Tunnel restriction code	(D/E)

#### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**EPA New Zealand HSNO approval** HSR002662 - Surface Coatings and Colourants (Flammable) code or group standard

National regulations

Any applicable tolerable exposure limits and environmental exposure limits according to the EPA Controls for Hazardous Substances are listed below

Chemical name	Tolerable Exposure Limit (TEL) Air	Tolerable Exposure Limit (TEL) Water	Tolerable Exposure Limit (TEL) Surface	Environmental Exposure Limits (EEL)
Toluene 108-88-3	400 µg/m³	0.8 mg/L	-	330 µg/L (Water)
Zinc oxide 1314-13-2	0.87 mg/m <sup>3</sup>	0.6 mg/L	-	8 μg/L (Freshwater) 15 μg/L (Marine)

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### Europe

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59) >=0.1%

Chemical name	SVHC candidates
4-tert-Butylphenol 98-54-4	Х

#### Section 16: Other information

Prepared By	Product Stewardship and Regulatory Affairs		
Revision date	04-May-2025		
Revision Note			
***Indicates updated data since last p	ublication.		

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
**	Hazard Designation	+	Sensitizers
С	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Right roduction volume chemic Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

BOSTIK TRIPLE 5 BSR Natural Revision Number 2

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet